

EAST Search History

Ref #	Hits	Search Query	DBs.	Default Operator	Plurals	Time Stamp
L1	0	(multi\$channel and bio\$magnet\$2meter and flex\$4 and coils and current and \$5control\$4 and circuit and display\$3 and switch\$3 and power).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/04/16 14:21
L2	320	607/1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2007/04/16 14:38
L3	978	607/2.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2007/04/16 14:44
L4	339	607/65.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2007/04/16 14:39
L5	871	324/244.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2007/04/16 14:50
S1	1	WO0115770 DE19834148 WO9901178 DE4440898 DE2821114	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/10/16 07:17
S2	7	"0115770" DE19834148 "9901178" DE4440898 DE2821114	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/10/13 10:32
S3	73	"0115770" "19834148" "9901178" "4440898" "2821114"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/10/13 10:36
S4	445	600/13	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/10/13 10:51
S5	313	600/14	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2007/04/16 07:58
S6	468	600/15	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2007/04/16 08:00

EAST Search History

S7	680	600/9	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2007/04/16 08:06
S8	172	600/10	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2007/04/16 08:12
S9	113	600/11	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2007/04/16 08:13
S10	567	607/1	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2007/04/16 14:24
S11	1414	607/2	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/10/13 12:06
S12	63	607/65	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2007/04/16 14:38
S13	11224	\$5controll\$3 and \$6magnet\$2 and capacitor and resistor and (keyboard or display\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/10/13 12:17
S14	2103043	therap\$5 or brain or head or skull	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/10/13 12:18
S15	3730	S13 and S14	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/10/13 12:19
S16	2633409	coil or wire or conductor	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/10/13 12:20
S17	3105	S15 and S16	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/10/13 12:20
S18	4005163	coil or wire or conduct\$3	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/10/13 12:20

EAST Search History

S19	2261704	coil or wire	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/10/13 12:20
S20	2908	S15 and S19	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/10/13 13:18
S21	48	("20060058572" "5496258" "5453072" "4889526" "4945334" "5750902" "6133671" "4428366" "6011523" "6280376" "5021726" "5811695" "4573001" "5260645" "5955669" "4290313" "5250777" "5260620" "5423433" "5528094" "5668480" "6222363" "6222363" "3895270" "4535292" "4535775" "4538468" "4598260" "4982156" "5420782" "5477142" "5518372" "5939879" "6452290" "20040263856" "4932411" "4625503" "4774424" "4788499" "5719897" "5867101" "6060988" "6084515" "6149577" "6212430" "6212430" "6298259" "6321766" "4618806" "5229929").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/10/13 14:09
S22	4	((("4428366") or ("4889526") or ("5496258") or ("5453072"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/10/13 14:10
S23	97	("3658051" "4066065" "4153061" "4401121" "4556051" "4654579" "4693238" "4940453").PN. OR ("4428366" "4889526" "5453072" "5496258").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/13 14:12
S24	97	("3658051" "4066065" "4153061" "4401121" "4556051" "4654579" "4693238" "4940453").PN. OR ("4428366" "4889526" "5453072" "5496258").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/16 07:24
S27	845	(324/244).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/10/16 07:35
S29	241	S27 and \$4magnetometer	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/10/16 07:44

EAST Search History

S30	12	\$4magnetometer and (coil or wire or sens\$3) and \$5controll\$3 and port and capacitor and resistor and display\$3 and switch\$3 and power and potentiometer	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/10/16 07:48
S31	12	\$4magnetometer and (coil or wire or sens\$3) and (process\$3 or \$5controll\$3) and port and capacitor and resistor and display\$3 and switch\$3 and power and potentiometer	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/10/16 07:52
S32	31	\$4magnetometer and (coil or wire or sens\$3) and (process\$3 or \$5controll\$3) and capacitor and resistor and display\$3 and switch\$3 and potentiometer	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/04/14 11:50
S33	1	bio\$magnetometer and (coil or wire or sens\$3) and (process\$3 or \$5controll\$3) and capacitor and resistor and display\$3 and switch\$3 and potentiometer	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/10/16 07:53
S34	1	bio\$magnetometer and (process\$3 or \$5controll\$3) and capacitor and resistor and display\$3 and switch\$3 and potentiometer	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/10/16 07:54
S35	1	bio\$magnetometer and (process\$3 or \$5controll\$3) and capacitor and resistor and switch\$3 and potentiometer	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/10/16 07:54
S36	1	bio\$magnetometer and (process\$3 or \$5controll\$3) and switch\$3 and potentiometer	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/10/16 07:54
S37	12	bio\$magnetometer and (process\$3 or \$5controll\$3) and switch\$3	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/10/16 07:55
S38	65	bio\$magnet\$2meter	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/04/14 11:56
S39	59	S38 and @ad<"20020725"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/04/14 11:56
S40	47	S39 and (head or skull or brain)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/04/14 12:13

EAST Search History

S41	41	S40 and current	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/04/14 11:41
S42	39	S41 and (tim\$3 or switch)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/04/14 12:15
S43	15	S42 and (battery or power)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/04/14 12:15
S44	22041	(coil or wire or sens\$3) and (process\$3 or \$5controll\$3) and (program\$5 or circuit) and display\$3 and (tim\$3 or switch\$3) and (brain or head or skull) and (alternating or "AC") and (power or battery)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/04/14 12:13
S45	391819	(coil or wire or sens\$3) same (brain or head or skull)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/04/14 11:54
S46	8287	S45 and (alternating or "AC") and (power or battery) and (process\$3 or \$5controll\$3) and (program\$5 or circuit) and display\$3 and (tim\$3 or switch\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/04/14 11:55
S47	6309	S45 and ((alternating near current) or "AC") and (power or battery) and (process\$3 or \$5controll\$3) and (program\$5 or circuit) and display\$3 and (tim\$3 or switch\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/04/14 11:55
S48	3513	S47 and @ad<"20020725"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/04/14 12:15
S49	5	S48 and bio\$magnet\$2meter	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/04/14 11:57
S50	1680	S48 and coil	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/04/14 11:58
S51	1314	S50 and frequency	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/04/14 12:02

EAST Search History

S52	1504	S50 and (frequency or shape)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/04/14 12:15
S53	784	S52 and five	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/04/14 12:06
S54	264	S53 and magnet	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/04/14 12:07
S55	464	600/13	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2007/04/14 12:13
S56	206	S55 and (head or skull or brain)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/04/14 12:28
S57	187	S56 and (coil or wire or sens\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/04/14 12:13
S58	175	S57 and (tim\$3 or switch)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/04/14 12:24
S59	144	S58 and (battery or power)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/04/14 12:24
S60	125	S59 and @ad<"20020725"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/04/14 12:25
S61	122	S60 and (frequency or shape)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/04/14 12:29
S62	112	S61 and (bio\$magnet\$ometer or magnet\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/04/14 12:28
S63	0	S62 not S61	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/04/14 12:20

EAST Search History

S64	44	S61 and five	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/04/14 12:22
S65	88	S57 and (timing or switch)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/04/14 12:24
S66	78	S65 and (battery or power)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/04/14 12:24
S67	66	S66 and @ad<"20020725"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/04/14 12:29
S68	8285	five with coil	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/04/14 12:27
S69	4349	S68 and (bio\$magnet\$ometer or magnet\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/04/14 12:28
S70	11	S56 and S69	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/04/14 12:28
S71	1191	S69 and (head or skull or brain)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/04/14 12:28
S72	898	S71 and (frequency or shape)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/04/14 12:29
S73	470	S72 and @ad<"20020725"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/04/14 12:30
S74	145	S73 and alternating	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/04/14 12:30
S75	189	S73 and (alternating or "AC")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/04/14 12:30

EAST Search History

S76	25	(US-20010029329-\$ or US-20020011937-\$).did. or (US-6733435-\$ or US-5116304-\$ or US-4428366-\$ or US-5496258-\$ or US-5100373-\$ or US-5453072-\$ or US-6290638-\$ or US-5058582-\$ or US-5267939-\$ or US-7006871-\$ or US-6527697-\$ or US-4889526-\$ or US-5752911-\$ or US-5495849-\$ or US-5027819-\$ or US-6681131-\$ or US-6370414-\$ or US-5532592-\$ or US-6885192-\$ or US-6208884-\$ or US-5444373-\$ or US-5095270-\$). did. or (WO-9901178-\$).did.	US-PGPUB; USPAT; EPO	OR	OFF	2007/04/14 12:36
S77	11	S76 and five	US-PGPUB; USPAT; EPO	OR	OFF	2007/04/14 12:36
S78	10	("3241058" "4489274" "4700135" "4771239" "4977896" "5047719" "5093618").PN. OR ("5444373").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/04/14 12:38
S79	187	600/14.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2007/04/16 07:59
S80	343	600/15.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2007/04/16 08:00
S81	593	600/9.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2007/04/16 08:06
S82	60	600/10.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2007/04/16 08:12
S83	136	600/11.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2007/04/16 08:14
S84	211	600/12.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2007/04/16 08:17
S85	0	bio\$magnet\$2meter and (pico\$tesla) and coils and (brain or head or skull) and switch and current and magnetic	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2007/04/16 08:20

EAST Search History

S86	0	bio\$magnet\$2meter and (pico\$tesla) and coils and (brain or head or skull) and current and magnetic	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2007/04/16 08:20
S87	0	bio\$magnet\$2meter and (pico\$tesla) and coils and (brain or head or skull) and current	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2007/04/16 08:20
S88	0	bio\$magnet\$2meter and (pico\$tesla) and coils and (brain or head or skull)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2007/04/16 08:21
S89	0	bio\$magnet\$2meter and (pico\$tesla) and coils and (brain or head or skull)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/04/16 08:21
S90	10	bio\$magnet\$2meter and \$5tesla and coils and (brain or head or skull)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/04/16 08:57
S91	10	bio\$magnet\$2meter and \$5tesla and coils and (brain or head or skull) and current and magnetic	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/04/16 08:27
S92	7	bio\$magnet\$2meter and \$5tesla and coils and (brain or head or skull) and current and magnetic and switch\$3	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/04/16 08:27
S93	10	bio\$magnet\$2meter and \$5tesla and coil and (brain or head or skull)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/04/16 08:58